
LP2CD Wizard[™] 2.05 User's Manual

Table of Contents

- 1. Installation Instructions
 - a. Installing the Software
- Using LP2CD Wizard[™]
 a. Setting up and Testing for Audio
- 3. Recording and Saving Audio Files
 - a. Automatically Detecting Tracks
 - b. Editing and Cleaning the Recording
 - c. Noise Removal
- 4. Naming your Songs
- 5. Saving the Audio Files
 - a. Exporting as WAV or MP3
 - b. Burning a CD
- 6. F.A.Q.s/Troubleshooting





www.ClearClickSoftware.com

Minimum System Requirements:

- PC w/ Windows XP, Vista, or 7/8
- CD burner
- Blank CD's (CD-Rs recommended)
- 1-2 GB free disk space

NOTE: If you are using the ClearClick® Direct2Digital® Converter, you can skip steps 1 and 2 of the Wizard, because the converter transfers audio without your computer. Instead, skip to step 3 of the Wizard to clean your recordings, or skip to step 6 to burn an audio CD.

Installing the Software:

Insert the CD into the computer and run the installation program when prompted. When complete, a new icon will appear on your desktop like this:

Using LP2CD Wizard[™]:

Double click on the desktop icon to launch the program.



The initial screen will appear and remind you to complete the steps above before the recording process can begin.

LP2CD Wizard 2.02		- X
Welcome!		
	Let's get started transferring your record to CD or MP3! Before continuing, please make sure that you've connected your Vinyl2USB Converter or other audio source to your PC. Click "Next" when you're ready.	
	Or jump directly to one of the steps below:	
	Record Audio Edit Recording Burn CD	
2 2 0 32615	Help Me! Register For Updates Next >	•

After verifying that you have everything connected, click **Next;** or click on of the *Jump* buttons to proceed to a specific step.

Testing for Audio:

On this screen, select "USB Audio Device" or "USB Microphone Array" for the Recording Device. Once you start playing a record on your converter, you should have movement on the sound level indicator.

Step 1: Audio Source	- x	
If you are recording from the Viny	u'd like to record from and set the recording level. /2USB Converter, your device should be set to something like "USB Audio." nputer's sound card, please use your computer's "Line In" jack and choose that setting	Click Preview Audio to hear the currently playing record.
THE ME	Recording Device:	Adjust the Recording Volume slider until you can judge that the level is high enough. Click Next to continue.
<back 2.2.0.23615</back 	Help Mel Register For Updates Next >	

Recording and Saving Audio Files:

LP2CD Wizard 2.02 - × Step 2: Transfer Audio	Remember: Each wizard screen
In this step, we'll transfer your record to your computer. To record for a certain amount of time, check the box next to "Stop recording after" To have the software automatically detect where each track ends and another begins, click the "Automatically detect tracks" option.	has instructions on the functions available for that screen .
Image: Control of the control of t	Set the record on the turntable to the start position. Set the Stop Recording After time if desired.
Kegister For Updates Next >	

Start the record playing on the converter and press the **Record** button to begin. Press the **Pause** button if you need to add on to the current recording (e.g. flipping the record to Side B) or press the **Stop** button when finished. Click **Next** to continue.

Automatically Detecting Tracks:

	<u> </u>	0					
LP2CD Wizard 2.02						-	X
Step 3: Edit & Cl	ean Recording						
Let's edit your recording and							
To show the Wizard where To remove clicks, pops, and						гаск.	
00		New Track	Delete Track			0	
Zoom x1	0				1.1.1.1	volume	
Track 1	Track 2		Track 3				
					:38		
a calendaria anna alla an an	dentation and have been been been been been been been be	at in the state of the	a material and and		der seit licher	a braidh dhana i	
2:46	and a state of the	O.	* addated at 2:52	مار المربا والثالية وال			
a substant of the building of the	adaulaad in taa	a contrationer	to the Mindal State	tranchis of		I I I MAK	
2:00	4:00	6:00		8:00	10:00	12:0	
ار اللهار بسيسين		de en en en literada	La chink in	Lahrad and		an airte a	
2:46	3:0		2:52	a that are a streak of			
and the last training the last of the	erealed a success where the	Second Research Produce	- Cundebulle and	ally a filler, a succession	and a state for	a tida se ta a l i k d e a	
2:00	4:00	6:00		8:00	10:00	12:0	0
4						•	-
Reset Changes						Notes Develop	
Reset Changes	Load Recording		0:00/11:55		e	Noise Removal	
	Can't hear any sound? I	Unplug your Vinyl2USB	converter or other l	JPR andio device pe	tore playing.		
< Back		l= 14-1	Desister For	Undeter		March S	
< Back	He	lp Me!	Register For	opdates		Next >	

Tracks are identified by the spaces or gaps of silence between songs.

Note: (Tracks may remain unselected if a clean break cannot be found.)

When *Automatically Detect Tracks* is selected (Step #2), the Wizard creates tracks based on the gaps between songs.

Editing and Cleaning the Recording Manually:

DP2CD Wizard 2.02	- x
Step 3: Edit & Clean Recording	
Let's edit your recording and split it up into tracks! To show the Wizard where each track is, click the "New Track" button and resize it so that it encompasses an audio track. Do t To remove clicks, pops, and noise, use the "Noise Removal" option. When you've laid out all your tracks, click the "Next" button!	his for each track.
Olip New Track Delete Track Zoom x1	Volume
0.00 A second design a weather a data and a second state and state and state and state and state and state and state	errer aufschaften Deltener.
2:00 4:00 6:00 6:00	10:00 12:00
0.00 A CHARTER OF A DESCRIPTION AND A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTION	a han a balla in narah dikul di badi ji
2.00 4:00 6:00 8:00	10:00 12:00
Reset Changes Load Recording Playing 00:00/11:55 Can't hear any sound? Unplug your Viny/2USB Converter or other USB audio device before playing	Noise Removal
< Back Help Me! Register For Updates	Next >

If you have chosen to create your own tracks or you need to add additional tracks, use the steps below to define where the recording will be separated.

If you are recording a piece that is "Spoken Word" or a "Book on LP" please use the procedure below to select the entire recording then click **Next**.

UP2CD Wizard 2.02		- X
Step 3: Edit & Clean Recording]	
Let's edit your recording and split it up into tracks! To show the Wizard where each track is, click the "h To remove clicks, pops, and noise, use the "Noise Re		
⊖ Zoom x1	New Track Delete Track	Volume
Track 1		
ana Madalahanggan ^{ana} hiti dikanan _{ana b} itanika	an a the state stilling and a stranger of the state of the	and the second products and the large of
and decision of the adult of the property of the balance of the second	apatella international and a state of the second	The second second second second second second second
2:00 4:00 0:00	6:00 8:00 Albaha	
2:00 4:00	11:54 11:54 6:00 8:00	10:00 12:00
4		•
Reset Changes Load Recording	Playing 00:00/11:55 d? Unplug your Vinyl2USB Converter or other USB au	Noise Removal
Cantinear any sound	Prohping your viriyi2056 Converter or other 056 au	dio device before playing.
<back< td=""><td>Help Me! Register For Update</td><td>es Next ></td></back<>	Help Me! Register For Update	es Next >

Click the **New Track** button to define a new track.

The entire recording will be selected. Hover your mouse over the left most side of the screen until you get the double headed arrow.

Then click and drag on the ending line (left most border) to define the new stopping point for the song.

Step 3: Edit & Clean Reco	ording			
Let's edit your recording and split it up into to To show the Wizard where each track is, o To remove clicks, pops, and noise, use the	lick the "New Track" button and resize			
Zoom x1	New Track	Delete Track	Volum	e
Track 1	hadle where the and stiller of	Apastilardi, and at pilling	8:45	u U K. A Kakasa J.
	A Halph agar ^{kul} ht (w <mark>h b</mark> adu) 4:00 6:00 -	Ninha dal anni polandi piano 8:00 1 - Alia Mana da	10:00 8:45	14/11.10 ^{.001} 12:00
	4:00 6:00			12:00 12:00
Reset Changes Load Record Can't hear a	ding Playing 00:00 any sound? Unplug your Vinyl2USB Con			ise Removal
< Back	Help Me!	Register For Updates		Next >

Note: If you have trouble picking up either the starting line or ending line; hover your mouse over the border until it gives you the double headed arrow, then click and drag.

Resize the track until you have encompassed the entire song. Then click the **New Track** button again to highlight the recording and resize the selection for the next song.

The "Red Line" is a ruler to let you know where in your recording you are located.

Noise Removal:

Some records develop noise over time as they are played often. The Noise Removal filter can help remove these before saving or burning.


Click the Noise Removal button to start the process:

Simple Noise Removal	
The software will try to automatica	lly remove noise.
Advanced Noise Removal	
Advanced Noise Reinoval	
Click the "Select Pause" button and contains silence besides clicks/poj beginning of your recording). Then again and click "Remove Noise".	ps/noise (for example, at the
Click the "Select Pause" button and contains silence besides clicks/poj beginning of your recording). Then	ps/noise (for example, at the

You can choose to allow the Wizard to remove the noises from the recording automatically or manually.

If you choose the advanced option, you will click the **Select Pause** button then click and drag a selection of the wave form that is from either a gap between songs or the beginning or end of the recording.

Once you have the option of your choice selected, click the **Remove Noise** button.



This meter bar will appear until the process is complete.

J LP2CD Wizard 2.02 -	x
Step 3: Edit & Clean Recording	1
Let's edit your recording and split it up into tracks! To show the Wizard where each track is, click the "New Track" button and resize it so that it encompasses an audio track. Do this for each track. To remove clicks, pops, and noise, use the "Noise Removal" option. When you've laid out all your tracks, click the "Next" button!	
Com x1 Delete Track	
Track 1 Track 2 Track 3 Track 4	
a stadio and the state of the	
2.00 4.00 6.00 8.00 1000 1200	
Image: Section of the sectio	
<back for="" help="" me!="" next="" register="" updates=""></back>	

Note: Noise Removal is for the removal of repetitive noises, not to change the quality of the recording.

If the removal affected the recording in a bad way, click the **Reset Changes** button to undo the changes.

Naming Your Songs:

LP2CD Wizard 2.02				- X
Step 4: Song Names				
Please tell the Wizard the details	of the record that you just tra	nsferred.		
If you have cover art for the album	, you can select it by clicking	the "Browse" button.		
		Track 1		
	Track #	1		
	Song Name			
	Artist Name			
8 III	Album Title			
	Name Format	Album Name - Artist Name - Song 👻		
	Release Year	1900 -		
	Genre	Blues -		
	Cover Art		Browse	
< Back 2.2.0.23815	Help Me!	Register For Updates		Next >

Here you can add song names, artist names, titles, and other information about the tracks you have just made.

Enter the information for the track and then use the track navigation buttons to go to the next track to enter its information.



After you have all the track information entered, click the **Next** button.

Note: The LP2CD Wizard is designed primarily for commercial records. The Artist Name and Album Title fields will automatically copy to each track for consistency.

For "homemade" or "various artist" type records, we recommend leaving the Artist and Album fields blank and then updating this information in your favorite audio editor or Windows Explorer.

Saving the Audio Files:

IP2CD Wizard 2.02 - × Step 5: Save Audio	
We're almost done! To save your transferred audio as MP3 files, click the "Save Tracks" button below. You can also save in WAV audio format. If you also want to burn an audio CD of the tracks that you just transferred, click the "Burn Audio CD" button. Save Tracks as MP3 Audio Files Save Tracks as MP3 Audio Files Burn Audio CD	
< Back Help Me! Register For Updates Next > 2.2.0.23815	

You can choose to save your Audio Files as MP3s, WAVs, or burn them directly to an Audio CD.

If you choose to save them as either an MP3 or a WAV file, you will be prompted to choose a destination folder. The Music Library (or My Music) folder would be the preferred location, but the Desktop will make your files the easiest to locate. They can always be relocated later.

Cassette2CD Wizard 2.02	If you choos your files to
Let's burn an audio CD of your transferred audio. The Wizard has already added your transferred tracks to the CD project. If you wish to add more, click the plus (+) button on the right. To burn your audio CD, click the "Burn" button below.	this screen appear:
Drives: [D:] hp DVDRAM GT20L ~	Insert a blar
Speed: 24x (4234 KB/sec) Modes: Auto	into your di
Track File Duration	5
Track 1 C:\Users\PowerUser\AppData\Roaming\BurnC 03:47	click Burn .
Track 2 C: Users PowerUser AppData Roaming BurnC 03:00	
Track 3 C: Users PowerUser AppData Roaming BurnC 02:48 Track 4 C: Users PowerUser AppData Roaming BurnC 03:15	
	You may do
	5
	as many CE
	would like
10min 20min 30min 40min 50min 60min 70min 80min	would like
😚 Burn	
	Click Nexts
< Back Help Mel Register For Updates Next >	Click Next
2.2.0.23601	finished.

se to burn a CD, will

nk CD-R rive and

o this for Os as you to make.

when

Note: use the buttons in the right hand column to add/remove tracks or edit the track order listed.

Frequently Asked Questions/Troubleshooting:

Q. The CD is reported as "not empty" even though it is brand new?

a. This can happen when another CD burning program is on the computer and has control of the CD Drive. To correct this, insert the blank disc **BEFORE** you launch the Wizard to start your recording session and close any Auto-Run window that may open up. If you currently have a recording created, use the **Back** button to save your audio as MP3 or WAV then start the Wizard program over and click Burn CD on the Welcome screen.

Q. I have created tracks for my spoken word recording, but there are noticeable gaps in the recording, why?

 Our program places the industry standard 2 second gap between tracks as it burns them onto a CD so that the CD will skip tracks like a commercial CD. For spoken word it is best to create a single track that encompasses the entire recording.



Need Some Help?

Open a support ticket at the support center at:

http://support.clearclicksoftware.com

Thank You For Your Business!

Please help spread the word! Tell your friends & family about the LP2CD Wizard 2.0[™].



Browse our other products!

www.ClearClickSoftware.com

